



IP65

Protezione.  
Protection.



*solo only*  
20mm

# HOST



Restyle



Faretto LED ad incasso tondo per cartongesso, utile per distribuire la luce in modo omogeneo e per illuminare alla perfezione spazi ampi, come cucine e living, oppure piccoli come ingressi e corridoi. Grazie al grado di protezione IP65 può essere installato anche in esterno. Struttura in pressofusione di alluminio, disponibile in due dimensioni e tre temperature colore: 2700K, 3000K e 4000K.

Round recessed LED downlight, useful to distribute the light in a homogeneous way and to perfectly illuminate large spaces, such as kitchens and living rooms, or small like entrances and corridors. Thanks to its degree of protection IP65 It can also be installed outdoors. Structure in die-cast aluminum, available in three sizes and two gradations: 2700K, 3000K and 4000K.



# HOST

Restyle





*new*

Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
<b>HOS011B</b>	2700K	170	3W	Ø35 x 20
<b>HOS001B</b>	3000K	190	3W	Ø35 x 20
<b>HOS002B</b>	4000K	210	3W	Ø35 x 20



*new*

Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
<b>HOS013B</b>	2700K	660	8W	Ø58 x 29
<b>HOS003B</b>	3000K	700	8W	Ø58 x 29
<b>HOS004B</b>	4000K	780	8W	Ø58 x 29



Finiture Finishes



Bianco White