

*solo
only*

23 mm

Piccola grandezza.
Small greatness.

MEGA





Faretto LED ad incasso tondo o quadrato per cartongesso e muratura, installabile anche in esterno grazie al grado di protezione IP65.

Struttura in metallo e diffusore in vetro satinato. In virtù del ridotto spessore è consigliato per spazi ristretti.

Disponibile in tre finiture (bianco, cromo e nickel opaco) e due temperature colore (3000K e 4000K). Corredato di alimentatore LED da installare in remoto. Cassaforma per installazione in muratura per versione grande da ordinare come accessorio.

Disponibili giunti certificati IP68 per la realizzazione delle connessioni elettriche, sicure, durevoli e con barriera anticondensa.

Round or square LED downlight for plaster and stonework, suitable for outdoor installation thanks to IP65 degree of protection. Aluminium body and satin glass diffuser. Thanks to its reduced depth, it is ideal for narrow spaces.

Available in three finishes (white, chrome and matt nickel) and two gradations (3000K and 4000k). Remote LED driver supplied.

Casting box as accessory to be ordered separately.

IP68 linear connectors for moisture protection and anti-condensation linear joints are available, to be ordered separately.



MEGA



LED ▲45° CRI≥80 IP65/20

Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
20006-XX-C	3000K	100	1W	Ø35 x 23
20006-XX-F	4000K	110	1W	Ø35 x 23





LED ▲45° CRI≥80 IP65/20

Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
20006Q-XX-C	3000K	100	1W	35 x 35 x 23
20006Q-XX-F	4000K	110	1W	35 x 35 x 23



Cassaforma e molle per installazione in cartongesso incluse

Recessed box and springs for plasterboard installation included



LED ▲60° CRI≥80 IP65/20



Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
20005-XX-C	3000K	425	5W	Ø83 x 65
20005-XX-F	4000K	450	5W	Ø83 x 65



LED ▲60° CRI≥80 IP65/20

Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
20005Q-XX-C	3000K	425	5W	85 x 85 x 65
20005Q-XX-F	4000K	450	5W	85 x 85 x 65

Installabile solo a soffitto
Recessed ceiling only



Finiture Finishes



Accessori Accessories



MT.3 - cod. 2005...
cassaforma per muratura
casting box